

# COMPARISON OF DOSE PATTERNS IN A MINIATURE PIG EXPOSED TO NEUTRON AND TO GAMMA RADIATION

D. M. Verrelli D. W. Shosa

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

Defense Nuclear Agency

Bethesda, Maryland

All aspects of investigative programs involving the use of laboratory animals sponsored by DoD components are conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care", prepared by the National Academy of Sciences - National Research Council.

# COMPARISON OF DOSE PATTERNS IN A MINIATURE PIGEN EXPOSED TO NEUTRON AND TO GAMMA RADIATION

D. M. VERRELLI D. W. SHOSA

Presented at Joint Oak Ridge Associated Universities - Defense Atomic Support Agency Symposium, Oak Ridge, Tennessee, 29 - 30 March 1971

R. E. CARTER

Chairman

Physical Sciences Department

MYRON I. VARON Captain MC USN

Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Nuclear Agency
Bethesda, Maryland

Approved for public release; distribution unlimited

#### TABLE OF CONTENTS

																							Page	е
Fore	eword (Non	tech	nica	al s	um	ma	ry)	•	٠	•	٠	•	٠	•	•	•	•	•	٠	•	• 1	•	iii	
Abst	ract .		•	·	•	ē	•		•	•		•	٠	•	•	•			•	•	•	•	v	
I.	Introduction	on .	•	•	•		•	•	•	•	٠	•	٠		•			•	•		•	•	1	
II.	Materials	and	Ме	tho	ds	•			•	•	•	•	•	•	•	•	•	•	•	•	•		1	
	Detect Irradia																						$1\\2$	
III.	Depth-Dos	se D	istr	ibut	tior	ı M	(eas	sur	em	ent	S	•	•		١.	•	٠,	•	٠	•	•	•	2	
IV.	Discussion	n .	•	•												•	•				•	•	6	
v.	Summary			•	•	•	•	•	•	•	•	•		•		•		•	•			•	8	
Refe	erences.			•															•				9	

#### LIST OF FIGURES

		Page
Figure	1.	Depth-dose pattern in miniature pig's head irradiated unilaterally by neutron field
Figure	2.	Comparison of total dose patterns in miniature pig's head for neutron and gamma ray fields from a reactor
Figure	3.	Depth-dose distribution in intestinal region for unilateral exposure
Tiguto	•	by neutron field
Figure	4.	Comparison of total dose distribution in pig intestinal region 6
		LIST OF TABLES
Table	I.	Maximum Uncertainty in Dose
Table	II.	Radiation Exposure Conditions
Table	III.	Depth-Dose Distribution in Swine Brain 5
Table	IV.	Depth-Dose Distribution in Swine Trunk 6

### FOR EWORD (Nontechnical summary)

The objective of this research effort was to characterize the tissue absorbed dose produced by the radiation fields from the AFRRI-TRIGA nuclear reactor and to compare depth-dose patterns for significantly different mixtures of incident radiations.

In an unmodified configuration, the radiation field from the AFRRI-TRIGA reactor is characterized by a neutron to gamma ray tissue kerma ratio, free-in-air, of 0.4. An enhanced neutron radiation field was obtained using a cadmium-gadolinium absorber for thermal neutrons coupled with 6 inches of lead shielding to decrease the gamma ray component of the field. A gamma ray field was obtained using 5 inches of water shielding and the same cadmium-gadolinium absorber. Neutron to gamma ray ratios, free-in-air, of 10 and 0.06 were obtained for the neutron and gamma ray fields, respectively.

Dose distribution patterns in a miniature pig cadaver were measured for neutron and for gamma radiation fields from the AFRRI-TRIGA reactor. Determination of the radiation components across the brain was performed employing the paired ionization chamber technique. The paired chambers used were  $0.05~\mathrm{cm}^3$  cylindrical-spherical Shonka chambers, one of tissue-equivalent plastic filled with tissue-equivalent gas and the other of magnesium filled with carbon dioxide gas. Placement of the dosimeters within the cadaver was verified by radiography and by dissection of the specimen.

For the high neutron field, the ratio of neutron to gamma doses ranged from 3.2 at the entrance to the brain to 1.9 at the brain exit. The ratio incident on the head was measured to be 8.5. For the high gamma radiation field, the incident neutron to

gamma ratio was 0.06. For this field, the depth-dose pattern is substantially that produced by a photon field containing no neutrons.

#### ABSTRACT

Depth-dose patterns were compared for significantly different mixtures of incident radiations from the AFRRI-TRIGA nuclear reactor. Neutron to gamma ray tissue kerma ratios of 10:1 and 0.06:1 were used for exposure of a miniature pig cadaver.

Measurement of the dose distribution patterns across the brain and across the intestinal regions was performed employing the paired ionization chamber technique. Placement of the dosimeters within the cadaver was verified by radiography and by dissection of the specimen.

For the high neutron field, the ratio of neutron to gamma ray doses for a unilateral irradiation ranged from 3.2 at the entrance to the brain to 1.9 at the brain exit. The ratio incident on the head was measured to be 8.5. Across the intestinal region, the neutron to gamma ray dose ratio for a bilateral irradiation ranged from 1.5 to 0.8. For the high gamma ray field, the incident neutron to gamma ray ratio was 0.06. For this field, the dose pattern is substantially that produced by a photon field containing no neutrons.

#### I. INTRODUCTION

The Armed Forces Radiobiology Research Institute (AFRRI) is conducting a series of biological irradiations to determine the effectiveness of reactor-produced neutron radiations for incapacitation and for intestinal damage in miniature pigs.

Characterization of the radiation fields and total dose patterns were reported in AFRRI Technical Note TN71-2.

This paper supplements those data previously reported by specifying those components contributing to the dose and by comparing total dose patterns for the neutron and gamma radiation fields.

For neutron irradiations, different organs may receive widely different doses dependent upon density and composition of the organ (soft tissue versus bone). The size of the specimen, the type of source, and the irradiation configuration also affect the depth-dose pattern. Accurate interpretation of the responses of animals to whole-body irradiations requires knowledge of the depth-dose pattern in the animal. This is of particular importance when the biological specimen is not irradiated uniformly. International Commission on Radiological Units and Measurements (ICRU) Report 10e on Radiobiological Dosimetry<sup>3</sup> sets forth the recommendations for classification of whole-body irradiations. The measurements reported here were performed to compare the depth-dose patterns for significantly different mixtures of incident radiations from a nuclear reactor and to classify the irradiations in accordance with the ICRU recommendations.

#### II. MATERIALS AND METHODS

<u>Detectors</u>. At AFRRI, the paired chamber concept, as described in ICRU Report 10b,<sup>2</sup> is employed for measuring separate neutron and gamma ray components

in a mixed neutron-gamma ray field. All measurements reported here were made with the paired miniature 0.05 cm<sup>3</sup> chambers.<sup>6</sup> The estimate of systematic errors associated with these dosimeters is summarized in Table I.

Table I. Maximum Uncertainty in Dose

	Reactor configuration							
	Unmodified field $(n-\gamma \text{ ratio} = 0.48)$	6" lead shield (n- $\gamma$ ratio = 11)	5" water shield (n- $\gamma$ ratio = 0.12)					
Total dose	± <b>7</b> %	± 12%	± 7%					
Neutron dose	± 8%	± 8%	± 12%					
Gamma dose	± 5%	± 30%	± 5%					

Irradiation conditions. The AFRRI-TRIGA reactor was the radiation source for these irradiations. As previously reported, the normal radiation field from the reactor was modified to produce a radiation field composed primarily of reactor neutrons and, subsequently, to produce a radiation field composed primarily of gamma rays. Characterization of the exposure conditions is summarized in Table II.

Table II. Radiation Exposure Conditions

Distance to center of reactor core	Neutron to gamma ray tissue kerma ratio						
(cm)	Neutron field	Gamma field					
100	10	0.06					
150	5	0.06					
200	2	0.06					

#### III. DEPTH-DOSE DISTRIBUTION MEASUREMENTS

Specially prepared miniature pig cadavers (embalmed and then submerged in 10 percent unbuffered Formalin) were instrumented with the miniature ionization

chambers. The instrumented cadavers were irradiated in the same Lucite cages employed in biological irradiations. Placement of the dosimeters within the specimens was verified by radiography and by dissection of the specimens.

Data by Thorp et al. on the performance of miniature pigs subjected to partial body irradiations suggest that incapacitation is the result of radiation damage to the brain of the animal. Therefore, to observe the dose distributions in the sensitive area, depth-dose patterns across the head of the specimen were obtained for the two different radiation fields. For the neutron field the midbrain probe was located on the center line at 104 cm from the center of the reactor. Figure 1 illustrates the measured components of the depth-dose pattern (neutron and gamma ray) and the total dose across the head. The measured neutron to gamma ratio at the entrance of the head was 8.5. Within the brain, the neutron to gamma ratio was approximately 3.2 at the entrance and 1.9 at the exit. The slight increase in the neutron component of the dose at the exit side of the head (note Figure 1) is attributed to the reflection of neutrons from the back side of the Lucite cage. It is noted that this depth-dose pattern is for the modified TRIGA reactor spectrum and that other sources, such as a 14 MeV




Figure 1. Depth-dose pattern in miniature pig's head irradiated unilaterally by neutron field

neutron generator or another reactor, would produce a different depth-dose pattern with different neutron to gamma ratios within the brain.

For the gamma ray field the midbrain probe location was 72.7 cm from the center of the core. For this field, the dose pattern is substantially that produced by a photon field containing no neutrons. Figure 2 illustrates the measured depth-dose pattern for the two fields.




Figure 2. Comparison of total dose patterns in miniature pig's head for neutron and gamma ray fields from a reactor

The entrance to exit dose ratio for the brain was 2.2 and 1.5 for the neutron and gamma ray fields, respectively. Table III summarizes the irradiation conditions for the two different fields. This irradiation configuration is clearly Class B, nonuniform, for both cases.

For the intestinal damage study<sup>5</sup> miniature pigs were positioned with the trunk on the center line of the core. Depth-dose measurements for the neutron field were made with the cadaver positioned at 150 cm from the center of the core. Figure 3 illustrates the measured components of the depth-dose pattern and the total dose across the trunk for a unilateral irradiation. The measured neutron to gamma ray ratio at the entrance of the trunk was 4.3 and at the exit was 0.37.

Table III. Depth-Dose Distribution in Swine Brain

Probe location	N-γ ratio for	Total dose (percent of midbrain dose)			
Probe location	neutron field	Neutron field	Gamma field		
Brain entrance	3.2	140	120		
Midbrain	2.3	100	100		
Brain exit	1.9	63	78		
Midbrain, free-in-air	9	180	122		




Figure 3. Depth-dose distribution in intestinal region for unilateral exposure by neutron field

For the gamma ray field, the center of the trunk was positioned at 100 cm from the center of the core. Table IV summarizes the depth-dose distributions across the trunk for the two different fields.

In order to obtain a Class A irradiation for each of the two fields, a bilateral irradiation was performed by rotating the animals midway through the exposure. Figure 4 illustrates the depth-dose patterns for a bilateral irradiation. For the neutron

field the neutron to gamma ratio was 1.5 at the outer extremity of the intestinal region and 0.8 at the midpoint. A Class A irradiation is approached only if one assumes that the outer 4 cm of the body wall is of no interest to the study.

Table IV. Depth-Dose Distribution in Swine Trunk

Probe location	N-γ ratio for	Total dose (percent of midintestine dose)			
Probe location	field	Neutron field	Gamma field		
Trunk entrance	4.3	306	158		
Midintestine	0.80	100	100		
Trunk exit	0.37	26	58		
Midintestine, free-in-air	5	218	122		




Figure 4. Comparison of total dose distribution in pig intestinal region (bilateral exposure)

#### IV. DISCUSSION

One of the weaknesses in the interpretation and comparison of biological results is the desire to reduce complicated irradiation conditions to a single dose number.

This weakness is particularly common for whole-body irradiations of comparatively large animals when the irradiation is classified as Class B, nonuniform.

The measurements across the brain of the cadaver serve as an excellent example of the differences in the deposition of energy within the brain that can occur although there is an equivalent midbrain dose. The ratio of doses at the entrance to the brain for these two fields was 1.16. At the exit of the brain, this ratio was 0.82. Accordingly, for this irradiation configuration there are parts of the cerebral lobes where the doses for the two fields differ by approximately 20 percent. Different geometrical irradiation conditions could result in even larger differences. Thus classification of an irradiation by a single dose number is, at best, an incomplete picture. This is of significance for those biological experiments where the dose effect relationship is not a linear function, and the biological effect being observed does not originate at a very limited volume in the animal. Data on performance decrement in miniature pigs by George et al. indicate an apparent lack of additivity for the separate components of a mixed neutron-gamma ray field. Thus, even a comparison of the depthdose patterns for different mixed neutron and gamma ray fields without knowledge of the magnitude of the separate components is not in itself totally sufficient.

The effectiveness of different types of radiations is often examined against some form of average linear energy transfer (LET). ICRU Report 16<sup>4</sup> points out that average values of LET distributions are likely to be useful only in very rough approximations. In the case of whole-body irradiations by neutrons, the LET distributions as a function of depth will change. Consequently, the usefulness of specifying LET distributions for the types of radiations reported here is questionable. Without knowledge of the sensitive site of biological damage, interpretation of biological effect versus LET is not possible.

In the great majority of whole-body irradiations it is not possible to provide a well-defined volume of interest. Consequently, correlation and interpretation of end results based on a single dose number such as midhead dose, midline tissue dose or exposure is not appropriate without detailed considerations of depth-dose patterns. As a minimum, the degree of nonuniformity, such as documentation of entrance and exit doses, should be given. For radiation of limited penetrability, such as neutrons, the components of the high and low LET particles contributing to the dose should be specified.

#### V. SUMMARY

This paper has presented recent depth-dose measurements in a miniature pig cadaver. The dosimetry methods employed are considered to be among the most reliable for separating radiation field components from a nuclear reactor and for measuring depth-dose patterns in biological specimens. Of particular interest are the depth-dose measurements across the brain of the cadaver.

A neutron to gamma ray tissue kerma ratio of 8.5, incident upon the head of a miniature pig, produced measured neutron to gamma ray tissue dose ratios of 3.2 at the entrance of the brain and 1.9 at the exit. For the same midbrain dose the brain entrance to exit ratios were 2.2 and 1.5 for the neutron and gamma ray fields, respectively.

#### REFERENCES

- 1. George, R. E., Chaput, R. L., Verrelli, D. M. and Barron, E. L. The relative effectiveness of fission neutrons for miniature pig performance decrement. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR71-2, 1971.
- 2. International Commission on Radiological Units and Measurements (ICRU) Report 10b, 1962. Physical aspects of irradiation. National Bureau of Standards Handbook No. 85. Washington, D. C., U.S. Government Printing Office, 1964.
- 3. International Commission on Radiological Units and Measurements (ICRU) Report 10e, 1962. Radiobiological dosimetry. National Bureau of Standards Handbook No. 88. Washington, D. C., U. S. Government Printing Office, 1963.
- 4. International Commission on Radiation Units and Measurements (ICRU) Report 16. Linear energy transfer. Washington, D. C., 1970.
- 5. Jones, S. R., West, J. E., Verrelli, D. M. and George, R. E. The relative effectiveness of fission neutrons for gastrointestinal death in miniature swine. Radiation Res. 47:328 (Abstract Gd-11), 1971.
- 6. Shosa, D. W. Reactor dosimetry with paired miniature ionization chambers.

  Bethesda, Maryland, Armed Forces Radiobiology Research Institute Technical

  Note TN71-7, 1971.
- 7. Thorp, J. W., Chaput, R. L. and Kovacic, R. T. Performance of miniature pigs after partial body irradiation. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR69-20, 1969.
- 8. Verrelli, D. M. Dosimetry for neutron radiation studies in miniature pigs.
  Bethesda, Maryland, Armed Forces Radiobiology Research Institute Technical
  Note TN71-2, 1971.

#### DISTRIBUTION LIST

#### AIR FORCE

The Surgeon General, U. S. Department of the Air Force, Washington, D. C. 20314 (1)
Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA),
Washington, D. C. 20314 (1)

Bioenvironmental Engineer, Hq. AFSC (SCBP), Andrews AFB, Washington, D. C. 20331 (1)

Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2) Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital, Wright-Patterson AFB, Ohio 45433 (1) Office of the Command Surgeon (ADCSG), Hq. ADC, USAF, Ent AFB, Colorado 80912 (1)

USAFSAM (RA), ATTN: Chief, Radiobiology Division, Brooks AFB, Texas 78235 (1)

USAFSAM, ATTN: EDAD, Brooks AFB, Texas 78235 (1)

#### ARMY

The Surgeon General, U.S. Department of the Army, Washington, D.C. 20314 (1)

Surgeon General, ATTN: MEDDH-N, U.S. Department of the Army, Washington, D.C. 20314 (1)

Commandant, U. S. Army Chemical Center and School, ATTN: AJMCL-T, Fort McClellan, Alabama 36201 (1) USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)

Commanding Officer, USACDC CBR Agency, Fort McClellan, Alabama 36201 (1)

CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)

Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-GG-TD, Fort Monmouth, New Jersey 07703 (1)

Office of the Chief of Engineers, ATTN: Chief, Library Branch, STINFO Division, U. S. Department of the Army, Washington, D. C. 20315 (1)

Commanding Officer, U. S. Army Mobility Equipment Research and Development Center, ATTN: Technical Documents Center, Bldg. 315, Vault, Fort Belvoir, Virginia 22060 (1)

Nuclear Branch AMCRD-DN-RE, U. S. Army Materiel Command, Washington, D. C. 20315 (1)

Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)

Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, N. Y. 09180 (2)

Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike, Arlington, Virginia 22204 (1)

Commanding General, U. S. Army Tank-Automotive Center, ATTN: SMOTA-RCSN, Warren, Michigan 48090 (1) Commanding Officer, U. S. Army Nuclear Defense Laboratory, ATTN: Technical Library, Edgewood Arsenal, Maryland 21010 (1)

Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Washington, D. C. 20012 (5)

Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal, Maryland 21010 (1)

Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW-ZNW, Fort Sam Houston, Texas 78234 (1)

#### NAVY

93041 (1)

Chief, Bureau of Medicine and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)

Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U. S. Navy Department, Washington, D. C. 20390 (1) Commanding Officer and Director (Code L31), U. S. Naval Civil Engineering Laboratory, Port Hueneme, California

Commanding Officer, Naval Aerospace Medical Institute, Naval Aviation Medical Center, ATTN: Director of Research, Pensacola, Florida 32512 (3)

Head, Animal Behavioral Sciences Branch, Naval Aerospace Medical Institute, Naval Aerospace Medical Center, ATTN: Dr. John S. Thach, Jr., Pensacola, Florida 32512 (1)

Commanding Officer, U. S. Naval Weapons Evaluation Facility (Code WE), Kirtland Air Force Base, Albuquerque, New Mexico 87117 (1)

Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia 23511 (1)

#### D, O, D.

Director, Defense Nuclear Agency, Washington, D. C. 20305 (1)

Director, Defense Nuclear Agency, ATTN: DDST, Washington, D. C. 20305 (1)

Director, Defense Nuclear Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)

#### D.O.D. (continued)

Director, Defense Nuclear Agency, ATTN: Chief, Radiation Directorate, Washington, D. C. 20305 (1)

Director, Defense Nuclear Agency, ATTN: Technical Library (APTL), Washington, D. C. 20305 (2)

Chief, Livermore Division, FC DNA, Lawrence Radiation Laboratory, Livermore, California 94550 (1)

Commander, Headquarters Field Command, Defense Nuclear Agency, ATTN: FCTG8, Kirtland AFB, New Mexico 87117 (1)

Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)

Commanding Officer, Harry Diamond Laboratories, ATTN: Nuclear Vulnerability Branch, Washington, D. C. 20438 (1)

W. L. Gieseler, Harry Diamond Laboratories, Washington, D. C. 20438 (1)

Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (12)

#### OTHER GOVERNMENT

- U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Division of Isotopes Development, ATTN: Mr. John C. Dempsey, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Bethesda Technical Library, 7920 Norfolk Avenue, Bethesda, Maryland 20014 (1)
- U. S. Department of Commerce, Environmental Science Services Administration, ATTN: Library, Boulder Laboratories, Boulder, Colorado 80302 (1)
- National Aeronautics and Space Administration, Manned Spacecraft Center, ATTN: Dr. B. D. Newsom, Code DB4, Houston, Texas 77058 (1)
- National Bureau of Standards Library, ATTN: Sarah Ann Jones, Chief Librarian, Washington, D. C. 20234 (1)

National Bureau of Standards, ATTN: Chief, Radiation Physics Division, Washington, D. C. 20234 (5)

- U. S. Public Health Service, Bureau of Radiological Health, Division of Biological Effects, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Bureau of Radiological Health, Library, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)
- U. S. Public Health Service, Southeastern Radiological Health Laboratory, P. O. Box 61, Montgomery, Alabama 36101 (1)
- U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 15027, Las Vegas, Nevada 89114 (1)
- Dr. C. Muelhouse, Radiation Research Center, National Bureau of Standards, Washington, D. C. 20234 (1)

#### OTHER

- Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
- Boeing Company Aerospace Library, ATTN: 8K-38 Ruth E. Peerenboom, P.O. Box 3999, Seattle, Washington 98124 (2)
- Dr. J. T. Brennan, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania 19104 (1)
- Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
- Dr. J. S. Burkle, Director of Nuclear Medicine, York Hospital, York, Pennsylvania 17403 (1)
- S. C. Bushong, Department of Radiology, Baylor University College of Medicine, Houston, Texas 77024 (1)

University of California, Department of Nuclear Engineering, Berkeley, California 94720 (1)

Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)

- University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P.O. Box 808, Livermore, California 94551 (2)
- University of California, Laboratory of Nuclear Medicine and Radiation Biology, Library; 900 Veteran Avenue, Los Angeles, California 90024 (1)
- Cdr. William H. Chapman, USN (Ret.), Bio-Medical Division L-523, Lawrence Radiation Laboratory, University of California, P. O. Box 808, Livermore, California 94551 (1)
- Cornell University, Department of Nuclear Engineering, Ithaca, New York 14850 (1)
- Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania 19104 (1)
- Professor R. Duffey, Department of Nuclear Engineering, University of Maryland, College Park, Maryland 20740 (1)

#### OTHER (continued)

E. I. du Pont de Nemours and Company, Savannah River Laboratory, Technical Information Service 773-A, Aiken, South Carolina 29801 (1) Professor Merril Eisenbud, New York University, Tuxedo, New York 10987 (1) Dr. T. C. Evans, Radiation Research Laboratory, College of Medicine, University of Iowa, Iowa City, Iowa 52240 (1) Dr. Arnold Feldman, Institute of Radiology, School of Medicine, Washington University, 510 South Kingshighway, St. Louis, Missouri 63110 (1) Mr. Orin Gelderloos, Division of Literature, University of Michigan, Dearborn Campus, Dearborn, Michigan 48124 (1) General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1) Gulf General Atomic Incorporated, ATTN: A. Graf, P. O. Box 608, San Diego, California 92112 (1) Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1) Holmes and Narver, Inc., Nuclear Division Library, 828 South Figueroa Street, Los Angeles, California 90017 (1) IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1) Professor E. Jordan, Department of Nuclear Engineering, Catholic University, Washington, D. C. 20017 (1) Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1) Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2) Lovelace Foundation for Medical Education and Research, Document Library, 5200 Gibson Boulevard, S. E., Albuquerque, New Mexico 87108 (1) Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica, California 90401 (1) Massachusetts Institute of Technology, M.I.T. Libraries, Technical Reports, Room 14 E-210, Cambridge, Massachusetts 02139 (1) Dr. Charles W. Mays, Physics Group Leader, Radiobiology Division, University of Utah, Salt Lake City, Utah 84112 (1) Dr. R. L. Murray, Department of Nuclear Engineering, North Carolina State University, Raleigh, N. C. 27607 (1) New York University, Department of Nuclear Engineering, New York, N. Y. 10019 (1) President, Nuclear Technology Corporation, 116 Main Street, White Plains, New York 10601 (1) Ohio State University, Nuclear Reactor Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212 (1) Dr. Alan Orvis, Consultant in Biophysics, Mayo Clinic, Rochester, Minnesota 55901 (1) Pennsylvania State University, Department of Nuclear Engineering, University Park, Pennsylvania 16802 (1) Purdue University, Nuclear Engineering Library, Lafayette, Indiana 47909 (1) Radiation Effects Information Center, Battelle Memorial Institute, 505 King Avenue, Columbus, Ohio 43201 (1) Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1) Dr. H. H. Rossi, 630 West 168th Street, New York, N. Y. 10032 (1) Dr. Eugene L. Saenger, Director, Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati, Ohio 45229 (1) Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1) Sandia Corporation, Livermore Laboratory, ATTN: Technical Library, P. O. Box 969, Livermore, California Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1) Texas A and M College, Department of Nuclear Engineering, College Station, Texas 77843 (1) Texas A and M University, Radiation Biology Laboratory, Texas Engineering Experiment Station, College Station, Texas 77840 (2) Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1) University of Arizona, Department of Nuclear Engineering, Tucson, Arizona 85721 (1) University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, N. Y. 14620 (1) University of Southern California, Nuclear Physics Laboratory, University Park, Los Angeles, California 90007 (1) Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1) Professor M. E. Wyman, Nuclear Engineering Program, University of Illinois, Urbana, Illinois 61801 (1) Director, Electron Accelerator Laboratory, Yale University, New Haven, Connecticut 06520 (1) Mr. Lionel Zamore, 601 Brightwater Court, Brooklyn, New York 11235 (1)

#### FOREIGN

International Atomic Energy Agency, Karntnerring 11, Vienna I. 1010, Austria (1)
European Atomic Energy Community, C. E. E.A., Library, 51 rue Belliard, Brussels 4, Belgium (1)
Library, Atomic Energy of Canada Ltd., P. O. Box 905, Toronto 18, Ontario, Canada (1)
University of Saskatchewan, ATTN: Director, Accelerator Laboratory, Saskatoon, Saskatchewan, Canada (1)
Director, Science Abstracts, Institution of Electrical Engineers, Savoy Place, London WC2, England (1)
Dr. L. G. Lajtha, Paterson Laboratories, Christie Hospital and Holt Radium Institute, Manchester, England (1)
Dr. L. F. Lamerton, Biophysics Department, Institute of Cancer Research, Surrey Branch, Belmont, Sutton, Surrey, England (1)

#### FOREIGN (continued)

- Dr. G. E. Adams, Research Unit in Radiobiology, Mount Vernon Hospital, Northwood, Middlesex, England (1) National Lending Library for Science and Technology, Boston Spa, Yorkshire, England (1)
- Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstrasse 27, West Germany (1)
- Abteilung für Strahlenbiologie im Institut für Biophysik der Universität Bonn, 53 Bonn-Venusberg, Annaberger Weg 15, Federal Republic of Germany (2)
- Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Priv.- Doz. Dr. O. Messerschmidt, Radiologisches Institut der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Dr. Helmut Mitschrich, Sanitätsamt der Bundeswehr, 53 Bonn-Beuel, Zingsheimstrasse 5, Germany (2)
- Prof. Dr. F. Wachsmann, Gesellschaft für Strahlenforschung m.b. H., 8042 Neuherberg bei München, Institut für Strahlenschutz, Ingolstadter Landstrasse 1, München, Germany (1)
- Col. Joachim Emde, Direktor, Spezialstab ATV, ABC und Selbstschutzschule, 8972 Sonthofen 2/Allgau, Berghoferstrasse 17, West Germany (1)
- Dr. G. W. Barendsen, Radiobiological Institute TNO, Rijswijk, Netherlands (1)
- Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)

UN	CL	ASS	IF.	LLD

Security Classification					
DOCUMENT CONTI (Security classification of title, body of abstract and indexing a			verall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) Armed Forces Radiobiology Research Institute	UNCLASSIFIED				
Defense Nuclear Agency Bethesda, Maryland 20014	26. GROUP N/A				
COMPARISON OF DOSE PATTERNS IN A M. TO GAMMA RADIATION	NIATURE P	IG EXPOSE	D TO NEUTRON AND		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)					
5. AUTHOR(S) (First name, middle initial, last name)  D. M. Verrelli and D. W. Shosa					
6. REPORT DATE October 1971	74. TOTAL NO. 0	FPAGES	76. NO. OF REFS		
88. CONTRACT OR GRANT NO.	98. ORIGINATOR'	S REPORT NUMB	ER(S)		
b. PROJECT NO. NWER XAXM	AFRRI T	N71-5			
c. Task and Subtask D 908	9b. OTHER REPO this report)	ORT NO(5) (Any other numbers that may be assigned			
d. Work Unit 04					
Approved for public release; distribution unl	<b>i</b> mited				
11. SUPPLEMENTARY NOTES	Director	MILITARY ACTIV	VITY		
		Nuclear Age on, D. C. 2	· ·		
13. ABSTRACT					

Depth-dose patterns were compared for significantly different mixtures of incident radiations from the AFRRI-TRIGA nuclear reactor. Neutron to gamma ray tissue kerma ratios of 10:1 and 0.06:1 were used for exposure of a miniature pig cadaver.

Measurement of the dose distribution patterns across the brain and across the intestinal regions was performed employing the paired ionization chamber technique. Placement of the dosimeters within the cadaver was verified by radiography and by dissection of the specimen.

For the high neutron field, the ratio of neutron to gamma ray doses for a unilateral irradiation ranged from 3.2 at the entrance to the brain to 1.9 at the brain exit. The ratio incident on the head was measured to be 8.5. Across the intestinal region, the neutron to gamma ray dose ratio for a bilateral irradiation ranged from 1.5 to 0.8. For the high gamma ray field, the incident neutron to gamma ray ratio was 0.06. For this field, the dose pattern is substantially that produced by a photon field containing no neutrons.

## UNCLASSIFIED Security Classification

KEY WORDS	LIN	K A	LIN	кв	LIN	кс	
		ROLE	WT	ROLE	WТ	ROLE	WT
dosimetry							
depth dose							
neutron-gamma ratios							
						51	
							ł
	L =						

UNCLASSIFIED Security Classification